



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/450,941	11/29/1999	JACCO BROK	2493-13	8363
23117	7590	08/05/2005	EXAMINER	
NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203			LUDWIG, MATTHEW J	
			ART UNIT	PAPER NUMBER
			2178	

DATE MAILED: 08/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/450,941

Applicant(s)

BROK ET AL.

Examiner

Matthew J. Ludwig

Art Unit

2178

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 April 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

1. This action is responsive to communications: Amendment received 9/3/04.
2. Claims 1-35 are pending in the application. Claims 1, 3, 4, 12, 13, and 20, are independent claims. Applicant has added new claims 21-35.
3. The rejection of claims 1-20 under 35 U.S.C. 103(a) as being unpatentable over Spellman in view of Kubota has been withdrawn pursuant to the Applicant's argument.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 1-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Winzip 6.2, Copyright 1996, Nico Mak Computing, Inc., 'Help File', pages 1-14.**

In reference to independent claim 1, 12 The Winzip helpfile discloses steps for creating and saving multiple files. Following the saving of multiple files, winzip allows a user to retrieve multiple files from a database for display to a browser (compare to "*retrieving at least one document from the database in response to a request for that document by an electronic browser*"). The request from the browser for the document is provided when the user wishes to view the winzip file through the main window. See Helpfile, pages 4-8.

Winzip allows for various types of web documents to be compressed into a single file and archived much like a database archives documents. Furthermore, the system allows for

Art Unit: 2178

document retrieval, upon opening a single file, which consists of extracting and possibly running, if the file consists of an executable file, all files within the single file means provided by the winzip system (compare to "*scanning the retrieved document to identify links*"). See Helpfile, pages 4-8. Upon locating the archive and appropriate downloading of archive, the single file is examined for links included in the file. Therefore, it would have been obvious to one of ordinary skill in the art, having the methods of winzip, to modify the documents included in archives and included documents with hypertext links, since hyperlink methods were known in the art at the time the invention was made to provide exchange of hypertext documents in a web environment.

The archive provides a means for storing and retrieving a set of documents stored as a single file, which illustrates similar techniques to those of a database, as described in the independent claim language. HTML documents include hyperlinks that point to other documents. Once the compressed file, which is similar to a scanning process, is presented on a browser in its original format, the document goes through a transforming process. If the links are part of an HTML document which fall under a category of format type used by a WinZip program, then opening such a document would cause the decompression or extraction of a specific document and therefore, transforming the links within the document, into a format which is recognizable by the WinZip browser. The winzip wizard provides a proficient description of a way to browse electronic documents, unzip, etc. The applicant is reminded that claim limitations are to be given their broadest reasonable interpretation within the scope of the art. Double clicking on a file in the main WinZip window has the same effect as double clicking

Art Unit: 2178

in the File Manager or Explorer. The features described by WinZip provide a way to browse through and manipulate documents contained within a single file archive.

In reference to dependent claim 2, winzip discloses an index within the archive Management features that contain the methods for which a user could locate and add various files to the archive. It is this similar type of index that provides locations of said documents within the file. See Helpfile, pages 4-8.

In reference to independent claim 3, 13, and 20, the Winzip helpfile discloses steps for creating and saving multiple files. Following the saving of multiple files, winzip allows a user to retrieve multiple files from a database for display to a browser (compare to *“retrieving at least one document from the database in response to a request for that document by an electronic browser”*). The request from the browser for the document is provided when the user wishes to view the winzip file through the main window. See Helpfile, pages 4-8.

Winzip allows for various types of web documents to be compressed into a single file and archived much like a database archives documents. Furthermore, the system allows for document retrieval, upon opening a single file, which consists of extracting and possibly running, if the file consists of an executable file, all files within the single file means provided by the winzip system (compare to *“scanning the retrieved document to identify links”*). See Helpfile, pages 4-8. Upon locating the archive and appropriate downloading of archive, the single file is examined for links included in the file. Therefore, it would have been obvious to one of ordinary skill in the art, having the methods of winzip, to modify the documents included in archives and included documents with hypertext links, since hyperlink methods were known in the art at the time the invention was made to provide exchange of hypertext documents in a web

Art Unit: 2178

environment. It is unclear to the Examiner what is meant by the term '*special, single file database syntax*', within the limitations of the claims. The Examiner has used his best judgment based on the rest of the claim's limitations and provided examples of how the reference teaches a similar method.

The archive provides a means for storing and retrieving a set of documents stored as a single file, which illustrates similar techniques to those of a database, as described in the independent claim language. HTML documents include hyperlinks that point to other documents. Once the compressed file, which is similar to a scanning process, is presented on a browser in its original format, the document goes through a transforming process. If the links are part of an HTML document which fall under a category of format type used by a WinZip program, then opening such a document would cause the decompression or extraction of a specific document and therefore, transforming the links within the document, into a format which is recognizable by the WinZip browser. The winzip wizard provides a proficient description of a way to browse electronic documents, unzip, etc. The applicant is reminded that claim limitations are to be given their broadest reasonable interpretation within the scope of the art. Double clicking on a file in the main WinZip window has the same effect as double clicking in the File Manager or Explorer. The features described by WinZip provide a way to browse through and manipulate documents contained within a single file archive.

In reference to independent claim 4, The Winzip helpfile discloses steps for creating and saving multiple files. Following the saving of multiple files, winzip allows a user to retrieve multiple files from a database for display to a browser (compare to "*retrieving at least one document from the database in response to a request for that document by an electronic*

Art Unit: 2178

browser”). The request from the browser for the document is provided when the user wishes to view the winzip file through the main window. See Helpfile, pages 4-8.

Winzip allows for various types of web documents to be compressed into a single file and archived much like a database archives documents. Furthermore, the system allows for document retrieval, upon opening a single file, which consists of extracting and possibly running, if the file consists of an executable file, all files within the single file means provided by the winzip system (compare to “*scanning the retrieved document to identify links*”). See Helpfile, pages 4-8. Upon locating the archive and appropriate downloading of archive, the single file is examined for links included in the file. Therefore, it would have been obvious to one of ordinary skill in the art, having the methods of winzip, to modify the documents included in archives and included documents with hypertext links, since hyperlink methods were known in the art at the time the invention was made to provide exchange of hypertext documents in a web environment. It is unclear to the Examiner what is meant by the term ‘*special, single file database syntax*’, within the limitations of the claims. The Examiner has used his best judgment based on the rest of the claim’s limitations and provided examples of how the reference teaches a similar method.

The archive provides a means for storing and retrieving a set of documents stored as a single file, which illustrates similar techniques to those of a database, as described in the independent claim language. HTML documents include hyperlinks that point to other documents. Once the compressed file, which is similar to a scanning process, is presented on a browser in its original format, the document goes through a transforming process. If the links are part of an HTML document which fall under a category of format type used by a WinZip

program, then opening such a document would cause the decompression or extraction of a specific document and therefore, transforming the links within the document, into a format which is recognizable by the WinZip browser. The winzip wizard provides a proficient description of a way to browse electronic documents, unzip, etc. The applicant is reminded that claim limitations are to be given their broadest reasonable interpretation within the scope of the art. Double clicking on a file in the main WinZip window has the same effect as double clicking in the File Manager or Explorer. The features described by WinZip provide a way to browse through and manipulate documents contained within a single file archive.

In reference to dependent claim 5, the files managed and retrieved by the archive suggest the retrieval of documents and files from various databases. See Helpfile, pages 4-8.

In reference to dependent claim 6, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 7, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 8, winzip provides an archive for the retrieval of various types of documents. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the utilization of HTML documents, because it would have given the author hypertext methods in a web environment. See Helpfile, pages 4-8.

Art Unit: 2178

In reference to dependent claim 9, winzip provides an archive for the retrieval of various types of documents. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the utilization of HTML documents, because it would have given the author hypertext methods in a web environment. See Helpfile, pages 4-8.

In reference to dependent claim 10, winzip discloses a means for allowing documents in the form of text, image, and/or sound files. See Helpfile, pages 4-8.

In reference to dependent claim 11, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to claims 14-19, the claims recite similar limitations to those of claims 2, 4-10, and in further view of the following, are rejected under similar rationale. See Helpfile, pages 4-8.

In reference to dependent claim 21, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 22, the winzip program scans the archive to identify all links within the collection of files. Each file or document suggests a link to the archive and therefore, provides a similar function. See Helpfile, pages 4-8.

In reference to dependent claim 23, the winzip program scans the archive to identify all links within the collection of files. Each file or document suggests a link to the archive and therefore, provides a similar function. See Helpfile, pages 4-8.

In reference to dependent claim 24, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 25, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 26, the winzip program scans the archive to identify all links within the collection of files. Each file or document suggests a link to the archive and therefore, provides a similar function. See Helpfile, pages 4-8.

In reference to dependent claim 27, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 28, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 29, the winzip program scans the archive to identify all links within the collection of files. Each file or document suggests a link to the archive and therefore, provides a similar function. See Helpfile, pages 4-8.

Art Unit: 2178

In reference to dependent claim 30, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 31, winzip provides an archive for the retrieval of various types of documents. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the utilization of HTML documents, because it would have given the author hypertext methods in a web environment. See Helpfile, pages 4-8.

In reference to dependent claim 32, winzip provides an archive for the retrieval of various types of documents. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the utilization of HTML documents, because it would have given the author hypertext methods in a web environment. See Helpfile, pages 4-8.

In reference to dependent claim 33, In WinZip's main window, double click on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

In reference to dependent claim 34, the winzip program scans the archive to identify all links within the collection of files. Each file or document suggests a link to the archive and therefore, provides a similar function. See Helpfile, pages 4-8.

In reference to dependent claim 30, In WinZip's main window double clicks on the line that starts with TWO.TXT. Winzip will automatically start the appropriate program to view the file

Art Unit: 2178

TWO.TXT. In most cases this will be Notepad. The reference provides the suggestion of a similar relationship between a database and a browser. See Helpfile, pages 4-8.

Response to Arguments

6. Applicant's arguments with respect to claims 1-20 have been considered but they are not persuasive.

Applicant argues on page 11 of the amendment that in no way could the archive created using the zip file be construed as a database. The very nature of the term database within the claim language is broad and could be interpreted multiple ways. The following is a definition for the word database found within the Microsoft Computer Dictionary, Fifth Edition, copyright 2002, 'a file composed of records, each containing fields together with a set of operations for searching, sorting, recombining, and other functions. The claim language found in independent claim 1 describes a database as a set of documents stored as a single file. The archive provides a means for storing and retrieving a set of documents stored as a single file, which illustrates similar techniques to those of a database, as described in the independent claim language. HTML documents include hyperlinks that point to other documents. Once the compressed file, which is similar to a scanning process, is presented on a browser in its original format, the document goes through a transforming process. If the links are part of an HTML document which fall under a category of format type used by a WinZip program, then opening such a document would cause the decompression or extraction of a specific document and therefore, transforming the links within the document, into a format which is recognizable by the WinZip browser. The winzip wizard provides a proficient description of a way to browse electronic documents, unzip, etc.

Art Unit: 2178

The applicant is reminded that claim limitations are to be given their broadest reasonable interpretation within the scope of the art. Double clicking on a file in the main WinZip window has the same effect as double clicking in the File Manager or Explorer. The features described by WinZip provide a way to browse through and manipulate documents contained within a single file archive.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J. Ludwig whose telephone number is 571-272-4127. The examiner can normally be reached on 9:00am-6:00pm.

Art Unit: 2178

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Hong can be reached on 571-272-4124. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ML
July 28, 2005

William F. Bashore
WILLIAM BASHORE
PRIMARY EXAMINER
8/3/2005